





DID YOU KNOW?

- scansteel foodtech probably has the world's largest grinder programme?
- Our grinders can be used for applications such as **frozen meat blocks**, **fresh meat** and **bones**.
- Our grinders are build for heavy duty production.
- The hygienic design of the grinders exceed the standards.
- Our grinders are equipped with the most efficient level control system (auto start/stop).
- Our grinders are equipped with worm/auger speed control on both single- and double worm/auger grinders for optimal particle definition.



**STRONGER
EFFICIENT
INNOVATIVE**

Frozen Block Grinder Programme:	Motor/kW
SINGLE WORM/AUGER GRINDERS:	
SuperGrind SG 550/310 Super Heavy Duty, Brutalis	160-250 kW
SuperGrind SG 400/260	110-160 kW
MG 400 Super Heavy Duty, Brutalis	160-200 kW
MG 400 Heavy Duty	132-160kW
MG 400	90-110 kW
MG 330	75-90 kW
MG 250	55 kW
MG 225	37-45 kW
MG 200	30 kW
DOUBLE WORM/AUGER GRINDERS:	
CombiGrind CG 400 Heavy Duty, Brutalis	22 + 110 - 200 kW
CombiGrind CG 330 Heavy Duty	22 + 110 - 132 kW
CombiGrind CG 300 Heavy Duty	22 + 90 - 132 kW
CombiGrind CG 300	22 + 90 kW
CombiGrind CG 225	15 + 75 kW

Below you will see all our frozen block grinders. The top performer listed from the top.

SINGLE SCREW/WORM/AUGER GRINDERS:



SINGLE WORM GRINDER: SuperGrind SG 550/310

- Hole plate Ø550 mm.
- 160-250 kW

 [Click for infomation.](#)



SINGLE WORM GRINDER: SuperGrind SG 400/260

Shown with optional safety cage.

- Hole plate Ø400 mm.
- 110-160 kW

 [Click for infomation.](#)

Follow us on social media



scansteel foodtech A/S

info@scansteelfoodtech.com

Industrivej 6, 4200 Slagelse, Denmark

scansteel
foodtech®

SINGLE SCREW/WORM/AUGER GRINDERS (cont.)



SINGLE WORM GRINDER: MG 400 Super Heavy Duty, Brutalis

- Hole plate Ø400 mm.
- 160-200 kW

 [Click for information.](#)



SINGLE WORM GRINDER: MG 400 Heavy Duty

Shown with optional extension infeed hopper.

- Hole plate Ø400 mm.
- 132-160 kW

 [Click for information.](#)



SINGLE WORM GRINDER: MG 400

- Hole plate Ø400 mm.
- 90-110 kW

 [Click for information.](#)

Shown with optional safety cage.



SINGLE WORM GRINDER: MG 330

- Hole plate Ø330 mm.
- 75-90 kW

 [Click for information.](#)

Shown with optional extension infeed hopper and optional Allen Bradley operator panel.



SINGLE WORM GRINDER: MG 200, MG 225 & MG 250

- Hole plate Ø200, Ø225 & Ø250 mm.
- 30 kW, 37-45 kW & 55 kW

Follow us on social media



scansteel foodtech A/S

info@scansteelfoodtech.com

Industrivej 6, 4200 Slagelse, Denmark

scansteel
foodtech®

DOUBLE SCREW/WORM/AUGER GRINDERS:



DOUBLE WORM GRINDER: CombiGrind CG 400 Heavy Duty, Brutalis

- Hole plate Ø400 mm.
- 22 + 110-200 kW

 [Click for information.](#)



DOUBLE WORM GRINDER: CombiGrind CG 330 Heavy Duty

Shown with optional extension infeed hopper and load cells.

- Hole plate Ø330 mm.
- 22 + 110-132 kW

 [Click for information.](#)



DOUBLE WORM GRINDER: CombiGrind CG 300 Heavy Duty

Shown with optional extension infeed hopper and load cells.

- Hole plate Ø300 mm.
- 22 + 110-132 kW

 [Click for information.](#)



DOUBLE WORM GRINDER: CombiGrind CG 300

- Hole plate Ø300 mm.
- 22 + 90 kW

 [Click for information.](#)  [Click for video.](#)



DOUBLE WORM GRINDER: CombiGrind CG 225

- Hole plate Ø225 mm.
- 15 + 75 kW

Follow us on social media



scansteel foodtech A/S

info@scansteelfoodtech.com

Industrivej 6, 4200 Slagelse, Denmark

scansteel[®]
foodtech